

---

# 1967 Piper PA-28R-180 Arrow

---



## Wolfe Aviation

*Business Aircraft Acquisitions, Appraisals, Sales and Service*

**Verlyn Wolfe, PSCA**

**ASA Accredited Senior Appraiser**

**Wolfe Aviation**

Stockton Metropolitan Airport (KSCK)

2050 East Sikorsky Street, Hangar 7

Stockton, California 95206

P.O. Box 31592, Stockton, California 95213-1592

Telephone: (209) 983-0117 Ext. 233

Cellular: (209) 607-9804

Email: [sales@wolfeaviation.com](mailto:sales@wolfeaviation.com)

Wolfe Aviation believes the following information to be accurate but does not warrant nor guarantee the information accordingly; purchasers should rely upon their own inspection of the aircraft. There shall be no agreement between parties unless set forth in a written contract signed by buyer and seller.

---

## Details:

- Registration: N3706T
- Serial number: 28R-30010
- Airframe time: 4,772 hours total time since new
- Engine: Lycoming IO-360-B1E serial number L-3585-51A, 180 HP  
50 hours since major overhaul; 2,000 hour TBO  
Compressions at last annual: #1 78, #2 79, #3 79, #4 77  
Engine overhauled to FAA limits by Hevle Aviation LLC 09/27/2012
- Propeller: Hartzell HC-C2YK-1BF/F7666A two blade constant speed  
361 hours since overhaul; 2,000 hour TBO  
Prop overhauled by Stockton Propeller, Inc. 12/20/2005
- Inspection: Annual inspection due 01/01/2021  
IFR recertification due  
ELT battery replacement due 12/31/2021  
Logbooks all and complete
- Damage: No known damage history
- Price: \$64,000 USD
- Location: Stockton Metropolitan Airport (SCK), Stockton, California

## Avionics:

- Audio Panel: Bendix/King KMA 24 TSO audio panel w/3LMB
- GPS/Com: Garmin GNC 300XL TSO GPS/Com
- GPS #2: Garmin GPSmap 396 with AIRGizmos panel mount
- Nav/Com: Bendix/King KX 155 TSO Nav/Com receiver
- VOR/LOC/GS #1: King KI 209 VOR/LOC/GS course deviation indicator
- VOR/LOC/GS #2: King KI 204 VOR/LOC/GS course deviation indicator
- Annunciator: Mid-Continent MD41-444 annunciator control unit
- Transponder: Bendix/King KT 76C TSO mode C transponder
- ADS-B: Not equipped with ADS-B Out
- Encoder: Remote altitude encoder
- Autopilot: Piper Autocontrol III autopilot coupled to heading and GPS
- Compass: Vertical card compass
- CHT: Single probe analog CHT indicator
- EGT: Electronics International EGT indicator
- ELT: Ameri-King AK-450 ELT with panel mounted switch and indicator
- Hour Meter: Recording hour meter
- Clock: Walkmann 8-day clock
- ICS: Intervox nat four-place intercom with standard jacks
- True airspeed indicator
- Outside air temperature indicator
- Lighter/auxiliary power port
- Pilot yoke electric pitch trim and push-to-talk switch
- Copilot yoke push-to-talk switch

---

## **Additional Features:**

- Brakes resealed 06/03/2019
- New vacuum pump installed 05/20/2019
- Landing gear actuators resealed, all landing gear actuator hoses replaced 07/01/2016
- New landing gear pressure switch installed 07/01/2016
- Hydraulic power pack assembly overhauled 07/01/2016
- Ashby glareshield installed 10/20/2012 per STC ST01327LA
- Brackett BA-105 air filter assembly installed 10/20/2012 per STC SA693CE
- New engine mounts installed 10/01/2012
- Alternator replaced 04/06/2006
- Brake discs replaced 01/02/2006
- Left and right fuel drain valves replaced 01/02/2006
- Knots 2U gear lobe fairings installed 05/01/2002 per STC SA1713GL
- LP Plastics pilot side windshield installed 07/20/2001
- Exhaust system repaired 02/08/1997
- Copilot windshield replaced 04/03/1996
- Cleveland wheel and brake assemblies
- Pilot storm window with air scoop
- Electric hydraulic gear
- Manual flaps
- Electric elevator pitch trim
- Rudder trim
- Alternate static air source
- External ground power receptacle
- Heated pitot with pitot head cover
- No copilot brakes
- Parking brake
- Tow bar

## **Exterior:**

- Original factory finish
- Overall white with maroon, gray and black trim and accents
- Condition 6 (Professional Aircraft Appraisal Organization Exterior Paint Grading Guide)

## **Interior:**

- Off white textured vinyl headliner
- Off white textured plastic and metal window trim
- Deep red velour fabric side panels
- Pilot and copilot deep red velour fabric seats with lap belts
- Aft cabin deep red velour fabric bench seat with lap belts
- Overhead forward map/instrument light
- Overhead switchable cabin dome light
- Overhead cabin speaker

- 
- Forward cabin lower air vents
  - Aft cabin lower air vents
  - Gray floor carpeting with pilot and copilot vinyl scuff mats
  - Spacious aft cabin cargo/baggage area with overhead tie down eyelets
  - Condition 6 (Professional Aircraft Appraisal Organization Interior Grading Guide)

**Specifications:**

- Wingspan: 30' 0"
- Length: 24' 2"
- Height: 8' 0"
- Gross weight: 2,500 lbs.
- Useful load: 989.0 lbs. actual
- Fuel capacity: 50 gals (48 gals usable)