
1978 Piper PA-28R-201 Arrow III



Wolfe Aviation

Business Aircraft Acquisitions, Appraisals, Sales and Service

Verlyn Wolfe, PSCA

ASA Accredited Senior Appraiser

Wolfe Aviation

Stockton Metropolitan Airport (KSCK)

2050 East Sikorsky Street, Hangar 7

Stockton, California 95206

P.O. Box 31592, Stockton, California 95213-1592

Telephone: (209) 983-0117

Cellular: (209) 607-9804

Email: sales@wolfeaviation.com

Wolfe Aviation believes the following information to be accurate but does not warrant nor guarantee the information accordingly; purchasers should rely upon their own inspection of the aircraft. There shall be no agreement between parties unless set forth in a written contract signed by buyer and seller.

Details:

- Registration: N2496M
- Serial number: 28R-7837091
- Airframe: 6,862 hours total time since new
- Engine: Lycoming IO-360-C1C6 serial number RL-28289-51E, 200 HP
689 hours since factory remanufacture; 2,000 hour TBO
Compressions at last annual: #1 76, #2 74, #3 76, #4 70
Engine remanufactured and zero timed by Lycoming 02/16/2016
- Propeller: McCauley B2D34C213-B two blade constant speed
3,426 hours since new, 2,000 hour TBO
Prop manufactured 03/04/2008
- Inspection: Annual inspection due 02/01/2023
IFR recertification due 06/01/2024
ELT battery replacement due 09/30/2022
Original and complete logbooks
- Damage: Prop strike damage airframe logbook entry repairs 03/05/2008
Lycoming remanufactured zero time engine and new prop installed
- Price: \$129,000 USD
- Location: Stockton Metropolitan Airport (SCK), Stockton, California

Avionics:

- Audio panel: Bendix/King KMA 24 TSO audio panel w/3LMB
- GPS/Nav/Com: Garmin GNS 430W WAAS GPS/Nav/Com
- Nav/Com: King KX 155A TSO Nav/Com receiver
- Compass System: King KCS 55A compass system
KI 525A HSI
KI 256 flight director
KI 51A slave meter
- VOR/LOC/GS: King KI 209 VOR/LOC/GS course deviation indicator
- Autopilot: Not equipped with autopilot
- Transponder: Garmin GTX 327 mode C transponder
- Encoder: Remote altitude encoder
- ADS-B: Garmin GDL 88 ADS-B In/Out
- EGT: Single probe analog EGT indicator
- ELT: ELT with pilot side panel mounted switch
- Hour Meter: Electronic recording hour meter
- Chronometer: Astro Tech LC-2P digital chronometer
- ICS: PS Engineering PM 1000II four-place intercom with standard jacks
- True airspeed indicator
- Outside air temperature indicator
- Lighter/auxiliary power port
- Pilot and copilot yoke push-to-talk switches

Additional Features:

- Left and right inboard wing bolts replaced with new 01/07/2022
- Complied with Piper SB 1161A rib assembly and modifications 10/08/2020
- Overhauled left fuel tank sending units installed 10/21/2019
- Right brake linings replaced 08/15/2019

-
- Overhauled fuel pressure gauge installed 08/31/2018
 - Serviceable rudder installed 05/18/2018
 - Left and right windshields replaced with new 04/07/2014
 - Overhauled hydraulic powerpack installed 01/17/2014
 - Auxiliary fuel pump replaced 10/04/2012
 - True-Lock safety retention axle lock nut system installed 12/27/2010 per STC SA00780SE
 - B & C Specialty Products starter installed 12/15/1993 per STC SE2389CE
 - Whelen HR DFA strobe unit installed 11/10/1992 per STC SA615EA
 - Bracket Air Filter BA-105 assembly installed 05/24/1989 per STC SA693CE
 - Pilot storm window
 - Electric gear
 - Manual flaps
 - Rudder trim
 - Elevator trim
 - Alternate static air source
 - Wingtip strobe lights
 - Vertical stabilizer anti-collision strobe beacon
 - External ground power receptacle
 - Heated pitot
 - Copilot brakes
 - Parking brake
 - Tow bar

Exterior:

- Overall white with navy blue and red trim and accents
- Condition 6 (Professional Aircraft Appraisal Organization Exterior Paint Grading Guide)

Interior:

- Off white plastic overhead trim and white textured vinyl headliner
- Off white plastic window trim
- Navy blue textured vinyl side panels
- Pilot and copilot blue textured vinyl seats w/gray fabric inserts, lap belts & shoulder harnesses
- Aft cabin blue textured vinyl seats with gray fabric inserts, folding seat backs and lap belts
- Overhead forward map/instrument light
- Overhead switchable cabin dome light
- Overhead cabin speaker
- Forward cabin upper and lower air vents
- Aft cabin upper and lower air vents
- Navy blue carpeting with aluminum pilot and copilot scuff mats
- Spacious aft cabin cargo/baggage area with hat shelf, tiedown straps and overhead eyelets
- Condition 6 (Professional Aircraft Appraisal Organization Interior Grading Guide)

Specifications:

- Wingspan: 35' 6"
- Length: 24' 9"
- Height: 7' 11"
- Gross weight: 2,750 lbs.
- Useful load: 936.52 lbs. actual
- Fuel capacity: 77 gals (72 gals usable)